47" CLASS (46.9" MEASURED DIAGONALLY)

42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (36.6" MEASURED DIAGONALLY)

32" CLASS (31.7" MEASURED DIAGONALLY)

47LT770H 42LT770H 37LT770H 32LT770H



Smart. Compatible. Customizable.

One of the smartest and most compatible Hotel Televisions in the industry.

Pro: Centric SMART

The finest and smartest mode of control and customization for Hotel TVs, LG Pro:Centric® Smart offers all the customizable tools needed to optimize a property's TVs with IP based programs including HTML5, Java and Flash. With this expansion of control comes the ability to provide premium hotel services without the need for a set-top box. Additionally, enhanced connectivity and display sharing are available to the guests with LG Smart TV technology.



Customizable UI HTML5 | Java | Flash

Extend Connectivity



Enjoy and share content stored on your laptop, digital cameras, smart phones and other devices to your TV conveniently and seemlessly.

*Video playback only - content on phones may played on TV through the Smart Share app compatible LG smartphones













Similar to a smart phone, LG's Pro:Centric smart TVs have WiFi built-in, allowing greater connectivity and access to and from the TV.





The plug and play function with compatible Remote Jack Pack enables guests to view media from their portable devices on the TV screen seemlessly

Compatibility:










Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room





EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.



Effectively Manage In-Room TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.



Pro:Centric Applications Platform

The LT770H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel data broadcasting platform for hosting of LG's SIs System Integrators interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LT770H extends the choice of applications available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LT770H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform may allow system integrators their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware.

The LT77OH supports embedded Wi-Fi for streaming of content to the Television or back channel communications, or can be used simply as an access point.

The LT770H platform includes support tools for the SIs to manage their systems such Simple Network Management Protocol (SNMP), to enable monitoring of the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server.

The LT770H Pro:Centric Applications Platform



Main Welcome Portal



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Channel Guide
Simple Channel List: Select the broadcast logo to watch your selected TV program



Language Access the system in multiple languages for

Pro:Idiom

Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.



LG's Free-To-Guest Cost Effective Solution

When using LG televisions in Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

1. Integrated *b*-LAN, plus LG's Free-To-Guest Management Appliance (FMA) 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	² MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$1,999 (FMA)	\$1,999	\$18,001
LG Pro:Idiom TV with Pro:Centric Server		\$2,500	\$2,500	\$17,500

² MAP price subject to change.

Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)



Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.



WHEN IT'S GREEN.


LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our LT770H televisions have technologies to reduce power consumption and in return increase cost savings per room.


EcoSmart


- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- **Energy Star 5.3 Qualified** Meets current reduction requirements of energy consumption.

Dimensions


47LT770H/42LT770H










37LT770H









32LT770H







REAR JACK PANEL





The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Credenza and Lock Down Plate.


Lock the TVs stand to the furniture it is placed on.



LG Hotel TVs are protected by the reliable solution the Kensington Lock











47LT770H 42LT770H 37LT770H 32LT770H 47" CLASS (46.9" MEASURED DIAGONALLY)

42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (36.6" MEASURED DIAGONALLY)

32" CLASS (31.7" MEASURED DIAGONALLY)

PANEL LED Backlighting	Edge lit
LCD Panel Type	47" class (46.9" measured diagonally)
LCD runer type	42" class (42.0" measured diagonally)
	37" class (36.6" measured diagonally)
	32" class (31.7" measured diagonally)
Native Display Resolution	1920 x 1080 (FHD) (47", 42", 37")
,	1366 x 768 (HD) (32")
Dynamic Contrast Ratio	4,000,000:1
Viewing Angle (HxV)	178°/178°
Response Time (G to G)	8ms (47", 42", 37"), 9ms (32")
Frame Rate	60Hz
VIDEO	
Built-In Tuner	ATSC/NTSC/Clear QAM
MPEG2/MPEG4	Yes
XD Engine	Yes
24p Real Cinema (24p 5:5/2:2 Pull down)	Yes
Eye Care (Anti Dazzling)	Yes
AUDIO	
Audio Power	20W (10W x 2)
Speaker System	1 Way 2 Speakers
Surround System	Infinite Sound
Invisible Speaker	Yes
Clear Voice II	Yes
SPECIAL FEATURES	
Pro:Centric Platform	Yes (Supports Java/Adobe Flash/HTML 5 application
Hybrid Streaming (IP & RF)	Yes
RF	2 Tuner
EzManager	Yes
Preloaded APP.(Pro:Centric® Smart)	Yes (Update)
Pro:Idiom	Yes
WOL	Yes
SI Compatible (TVLink Protocol)	Yes (MPI protocol)
Embeded b-LAN	Yes
WiFi	Yes (built-in)
WiDi	Yes
Content Share IR Out	Yes (Smart Share)
	Yes (MPI Jack)
SIMPLINK External Speaker Out	Yes
External Speaker Out	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω)
External Speaker Out RJP Interface	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RJ45, HDMI)
External Speaker Out RJP Interface RJP Compatibility	Yes (Variable, 3.5mm, Stereo, $1W$ with 8Ω) Yes (RJ45, HDMI) LG(RJ45), Teleadapt/Guestlink (HDMI CEC)
External Speaker Out RJP Interface RJP Compatibility PIP	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RJ45, HDMI) LG(RJ45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV)
External Speaker Out RJP Interface RJP Compatibility PIP External Power	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A)
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RJ45, HDMI) LG(RJ45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleodapt/Guestlink (HDMI CEC) Yes (except HDMH-DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3,
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleodapt/Guestlink (HDMI CEC) Yes (except HDMHDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pidure Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+HDMI, AV-AV) Yes (E323C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB [2.0] Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (Recept HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+HDMI, AV-AV) Yes (E323C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pidure Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleodapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes Yes Yes Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pature Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes Yes Yes Yes Yes Yes Yes Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleodapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pidure Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleodapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-theft System	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-Hheft System Kensington Lock	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) Yes (RI45, Teleodapt)/Guestlink (HDMI CEC) Yes (except HDMHDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pidure Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-theft System Kensington Lock Credenza/Security Screw Hole	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) Yes (RI45, Teleodapt)/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-Hheft System Kensington Lock	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOI (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-theft System Kensington Lock Credenza/Security Screw Hole Lock Down Plate (for easy installing)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) Yes (RI45, Teleodapt)/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divx HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-theft System Kensington Lock Credenza/Security Screw Hole Lock Down Plate (for easy installing) INPUTS/OUTPUTS	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-theft System Kensington Lock Credenza/Security Screw Hole Lock Down Plate (for easy installing) INPUTS/OUTPUTS USB (2.0)	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) Yes (RI45, Telecadapt)/Guestlink (HDMI CEC) Yes (except HDMI+DMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Picture Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Mute Smart Energy Saving Intelligent Sensor Anti-Heft System Kensington Lock Credenza/Security Screw Hole Lock Down Plate (for easy installing) INPUTS/OUTPUTS USB (2.0) RF In AV In	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) Yes (RI45, Teleodapt)/Guestlink (HDMI CEC) Yes (except HDMHDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes (RS-232C, 12V/1.0A) Yes (Diby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes
External Speaker Out RJP Interface RJP Compatibility PIP External Power USB (2.0) Moving Pidure Playback (SD/HD/Plus HD Audio Codec USB Cloning WOL (Wake on LAN) One Channel Map/Logical Channel Map SNMP Multi IR Code Welcome Screen (Splash Image) Auto Off / Auto Sleep Video Multe Smart Energy Saving Intelligent Sensor Anti-theft System Kensington Lock Credenza/Security Screw Hole Lock Down Plate (for easy installing) INPUTS/OUTPUTS USB (2.0) RF In	Yes (Variable, 3.5mm, Stereo, 1W with 8Ω) Yes (RI45, HDMI) LG(RI45), Teleadapt/Guestlink (HDMI CEC) Yes (except HDMI-HDMI, AV-AV) Yes (RS-232C, 12V/1.0A) Yes Divix HD AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM, DTS Yes

LGsolutions.com



The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 47LT770H, 42LT770H, and 37LT770H are \$16, \$13, & \$12 respectively.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.frc.gov/energy."
FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).




Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_LT770Hseries_051308_PR






and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. b-LAN is a trademark of LodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies.







34.2" × 21.0" × 2.7" (37") 30.2" × 18.7" × 2.7" (32" with Stand **Unit Weight** without Stand 33.7 lbs (47") 38.1 lbs (47") 29.8 lbs (42") 34.2 lbs (42") 24.7 lbs (37" 22.0 lbs (37") 20.3 lbs (32") 17.6 ll 51.7" × 30.9" × 5.7" (47") 46.5" × 29.3" × 5.4" (42") 44.1" × 26.0" × 5.5" (37") 38.1" × 23.0" × 5.7" (32") 17.6 lbs (32") Packaging (W×H×D) Weight with Packaging 48.3 lbs (47" 41.7 lbs (42") 30.2 lbs (37" 26.0 lbs (32 Table Stand Included ±90° Swivel Flat Black Color VESA Standard Mount Interface 400 x 400mm (47" 200 x 200mm (42", 37") 200 x 100mm (32") Flame Retardant Yes (Back Cover only) **REQUIRED LISTINGS** UL, c-UL, NOM ENERGY STAR 5.3 Yes Yes RoHS Compliant Yes CEC Compliant Yes UPC 32LT770H 7 19192 90411 8 7 19192 90412 5 37IT770H 42LT770H 7 19192 90413 2 7 19192 90414 9 POWER 100~240V 50/60Hz Power Source Stand-by
Power Consumption (typ.) with
Power Saving Modes Disabled Under 1W 72.7W (47"), 57.9W (42"), 52.3W (37"), 39.1W (32") EcoSmart Intelligent Sensor & Backlight Control Dynamic Power Savings Static Power Savings Yes Yes SERVICE/LIMITED WARRANTY 2 Years (parts/labor/backlight) Limited Warranty Remote Jack Panel Compatibility (RJP) **tele**adapt **G-LINK** LG LG Compatible Interactive systems LodgeNet. Enseo swisscom Guest<mark>tek. **NEVOTEK**</mark> BAHN KoolConnect NXTV Quadriga acentic RODMLINX FISTREAMS FULLHO Pro: Centric STREAMING USB 🛶: **b-LAN**

1 Rear

2 Rear

Rear

1 Rear

1 Rear

Rear

Rear (SVC, Power outlet 12V)

43.3" x 28.7" x 10.7" [47"] 39.1" x 26.2" x 10.7" [42"] 34.2" x 23.3" x 9.1" [37"] 30.2" x 21.1" x 9.1" [32"] 43.3" x 26.2" x 2.8" [47"] 39.1" x 23.8" x 2.8" [42"] 44.2" x 21.0" x 2.7" [42"]

RGB In (D-sub 15 pin) - PC

External Speaker Out (3.5mm phone jack)

PC Audio Input

RJ45 (RJP Interface)

Game Port/MPI Jack

without Stand (W×H×D)

Dimensions with Stand (W×H×D)

RS-232C

LAN Port

CARINET

